

COLORSTEP®O Red 3085

颜料索引: Pigment Red 185

C.I.No: 12516 **CAS No.** 51920-12-8

理化数据	
筛余 (120mesh)	≤5.0
吸油量(ml/100g)	35-45
PH 值 (at g/I .C)	7
水溶物 (@ 20℃)	≤1.5
水份(%)	≤2.0

牢度性能	
耐迁移	5
耐光 - (全色)	8
耐光 - SD 1/3 (Reduction)	7-8
耐温 - (全色)[°C]	250
耐温 - SD 1/3 (Reduction) [°C]	250

苯并咪唑酮

产品描述

该颜料为蓝光红,不溶于任何溶剂,耐灭菌处理。在印墨中耐热为 220℃/10Min,适用金属装饰及层压塑料薄膜印墨,用于塑料着色,在软质 PVC 耐迁移性好,适用于 PE 着色。

化学名称:

应用领域		
一般工业漆	推荐	
卷材涂料	推荐	
粉末涂料	推荐	
РО	推荐	
PVC &橡胶	推荐	
工程塑料	推荐	
油墨	推荐	

化学性	
耐酸	5
耐碱	5
耐乙醇	5
耐酯	5
耐苯	5
耐酮	5
耐皂洗	5

化学品名录状况

COLORSTEP®O Red 3085所有成分 在下列国家化学品名录中列明

AICS (澳大利 亚)、DSL (加拿大)、ECL (韩国)、EINECS [欧洲], IECSC [中国]、 MITI [日本]、NZIOC (新西兰)、PICCS(菲利宾)
TSCA [美国]

NOTICE: All statements, information, and data given herein are believed to be accurate and reliable but are presented without guaranty, warranty, or responsibility of any kind, express or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement, and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated, or that other measures may not be required.